

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2018 Version number 1 Revision: 27.04.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name weberfloor 1145

Safety data sheet no.: XXP014593

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

## 1.3 Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

Saint-Gobain Weber Co., Ltd.

Gypsum Metropolitan Tower 14th Floor 539/2 Si-Ayutthaya Road

Thanonphayathai, Ratchathewi

Bangkok 10400 Thailand

Tel: +662 245 8777

## 1.4 Emergency telephone number:

Tel. 0 2202 4225-7 Tel. 0 2202 4235-6

## **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

## **Hazard pictograms**





GHS05 GHS07

(Contd. on page 2)





## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 27.04.2018 Printing date 08.05.2018 Version number 1

#### Trade name weberfloor 1145

(Contd. of page 1)

#### Signal word Danger

## Hazard-determining components of labelling:

cement arev

Calcium sulfaluminate

#### **Hazard statements**

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

## **Precautionary statements**

If medical advice is needed, have product container or label at hand. P101

P102 Keep out of reach of children.

P103 Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection. P280

IF ON SKIN: Wash with plenty of water. P302+P352

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P362 Take off contaminated clothing.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

## 2.3 Other hazards

The product contains silica sand with less than 1% of fine fraction and therefore is not classified as hazardous; however, pay attention when handling and follow the indications relating to personal protective equipment.

## Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. vPvB: Does not contain vPvB substances.

## **SECTION 3: Composition/information on ingredients**

### 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with non hazardous additions.

	Dangerous components:					
Г		cement grey	10-25%			
	EINECS: 266-043-4	Eye Dam. 1, H318; <b>①</b> Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335				
Г		Calcium sulfaluminate	1-2%			
	EINECS: 234-448-5	♦ Skin Irrit. 2, H315; STOT SE 3, H335				

## **SVHC** Void

#### **Additional information**

The product contains silica sand composed of quartz (crystalline silica) with a fine fraction below 1%. (Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2018 Version number 1 Revision: 27.04.2018

Trade name weberfloor 1145

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

#### **General information**

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

#### After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position

for transportation.

After skin contact Immediately wash with water and soap and rinse thoroughly.

### After eye contact

Rinse opened eye for several minutes under running water. Then consult doctor. Rinse liquid should be tempered (20-30°C).

After swallowing If symptoms persist consult a doctor.

## 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

### 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

## 5.3 Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

# **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid formation of dust.

Ensure adequate ventilation.

**6.2 Environmental precautions:** Do not allow product to reach sewage system or any water course.

## 6.3 Methods and material for containment and cleaning up:

Use neutralising agent.

Dispose of contaminated material as waste according to item 13.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2018 Version number 1 Revision: 27.04.2018

#### Trade name weberfloor 1145

(Contd. of page 3)

Ensure adequate ventilation.

Pick up mechanically.

### 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Keep receptacles tightly sealed.

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Provide suction extractors if dust is formed.

Information about fire - and explosion protection: Keep respiratory protective device available.

## 7.2 Conditions for safe storage, including any incompatibilities

Storage

#### Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

## Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from water.

#### Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

**7.3 Specific end use(s)** No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

Additional information about design of technical facilities: No further data; see item 7.

### 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

CAS No. Designation of material % Type Value Unit

## Additional Occupational Exposure Limit Values for possible hazards during processing:

Quartz alveolar dust (< 5 µm): 0,15 mg/m<sup>3</sup>

## Additional information:

The applicable TRGS 900 (MAK list) was used as the basis for the preparation and/or revision of this safety data sheet.

#### 8.2 Exposure controls

## Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

(Contd. on page 5)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2018 Version number 1 Revision: 27.04.2018

#### Trade name weberfloor 1145

(Contd. of page 4)

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes and skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

Short term filter device:

Filter P2.

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands: Protective gloves.

Material of gloves Nitrile rubber, NBR Rubber gloves

**Eye protection:** Tightly sealed goggles **Body protection:** Protective work clothing.

# **SECTION 9: Physical and chemical properties**

9.1 Information on basic physical and che	mical properties
Appearance:	
Form:	Powder
Colour:	Grey
Odour:	Uncharacteristic.
Odour threshold:	Not determined.
pH-value:	Alkaline
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
Flash point:	Not applicable
Flammability (solid, gas):	Product is not flammable.
Ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Oxidising properties	Not determined.
	(Contd. on page 6

(Contd. on page 6)





## Safety data sheet according to 1907/2006/EC, Article 31

Revision: 27.04.2018 Printing date 08.05.2018 Version number 1

#### Trade name weberfloor 1145

	(Contd. of page
Vapour pressure:	Not applicable.
Density:	1.25 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
Water:	Hardens when in contact with water.
Segregation coefficient (n-octanol	/water) log
Pow:	Not determined.
Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
Solvent content:	•••
EU-VOC	0.00 %
9.2 Other information	No further relevant information available.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Reacts with acids

Reacts with water

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

Compo	nents	Type V	/alue	Species
CAS: 1	317-65	-3 limestone		
Oral	LD50	>5,000 mg/kg (Rat)		
CAS: 6	5997-1	5-1 cement grey		
Dermal	LD50	>2,000 mg/kg (Rabbit)		

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2018 Version number 1 Revision: 27.04.2018

#### Trade name weberfloor 1145

(Contd. of page 6)

**Primary irritant effect:** 

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

#### CAS: 1317-65-3 limestone

LC50/96h >10,000 mg/l (Oncorhynchus mykiss (Rainbow trout))

EC50/48h | >1,000 mg/l (Daphnia magna)

EC50/72h >200 mg/l (Algae)

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

Behaviour in environmental systems:

12.4 Mobility in soil No further relevant information available.

#### **Ecotoxical effects:**

#### Remark:

The product contains substances which cause a local pH change and thus have a detrimental effect on fish and bacteria.

The product contains substances which causes severe clouding in water

Remark: The product causes a significant pH change. Neutralise before introduction.

Additional ecological information:

General notes: Must not reach sewage water or drainage ditch undiluted or unneutralised.

12.5 Results of PBT and vPvB assessment

**PBT:** Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

**12.6 Other adverse effects** No further relevant information available.

- EUC



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2018 Version number 1 Revision: 27.04.2018

Trade name weberfloor 1145

(Contd. of page 7)

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Recommendation

Product hardens after adding water after 5 to 6 hours and can then be disposed of as building rubbish. Possible waste code 17 09 04.

### European waste catalogue

Possible waste code. The concrete waste code depends on the source of the waste.

### Uncleaned packaging:

**Recommendation:** Disposal must be made according to official regulations.

## Recommended cleaning agent:

Thoroughly shake out sacks.

Water, if necessary together with cleansing agents.

14.1 UN-Number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annomarpol and the IBC Code	ex II of Not applicable.
UN "Model Regulation":	Void

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

(Contd. on page 9)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 08.05.2018 Version number 1 Revision: 27.04.2018

#### Trade name weberfloor 1145

(Contd. of page 8)

#### **REGULATION (EC) No 1907/2006 ANNEX XVII**

The marketing and use of cement is subject to a restriction on the content of soluble Cr (VI) (REACH Annex XVII point 47 Chromium VI compounds)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

## Department issuing SDS: Research & Development

#### Contact:

Mrs. K. Locolas Tel: 06-32135043

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.

EUG